

2.4G RF 9W RGBW LED GARDEN LIGHT

with 4-zone Touch Screen remote control



Features:



Soft start,no power peak



Power off memory



Easy Installation



RF 2.4GHz,remote range nearly 30m



Remote control through internet ,Compatible with wifi bridge




Vivid colors changing , 9 automatic changing programs




Three years warranty,CE,RoHS

DIMENSIONS:



Specifications:



- **Name:** 2.4G RF 9W RGBW LED Spotlight
- **LED type:** 4PCS 1.5W 5050 SMD LED + 15pcs 0.5W SMD2835 EPISTAR LEDS
- **Luminous flux:** 800-850LM
- **Plug type:** 3m long cable(IP44 EU plug / American plug)
- **Power Rating:** 9W
- **Input Voltage:** AC100-240V
- **CRI:** Ra > 80 (white)
- **Material :** Aluminium housing + PMMA LENZE
- **Cover:** Transparent
- **Working temp:** -20~60 degrees
- **Life span:** 50,000h
- **Size:** Φ105*H400mm
- **Package:** 185*175*112mm
56*26*123mm/remote
- **G.W.:** 1.25kg
- **Remote range:** 30m
- **Programs:** 9 kinds
- **Beam angle:** 60°



Technical Data:

Remote	Size	120X52X20mm
	Working voltage	3V (AAAX2)
	Radio frequency	2400-2483.5MHz
	Modulation mode	GFSK
	Emission power	6db
	Standby power consumption	5uA
	Material	ABS
	Fabrication processing	Multicolor printing & UV varnish
GARDEN LIGHT	Size	105x400mm
	LED Power	6W(white)+7.5W RGB
	Working Temp	- 20°C~60°C
	LED Quantity	1.5W RGB SMD5050 4pcs,0.5W SMD 5730 15pcs
	LED Type	1.5W RGB SMD5050,0.5W SMD 5730
	LED Wavelength	R 620nm;G 510nm;B 460nm

Spectrum Curve & Distribution Curve



Light Effect:



Package information:

Qty:LED spotlight 1PCS
Size:185*175*112mm
GW:1.25Kg

Qty:remotecontrol 1PCS
Size:56×26×123mm
GW:0.08Kg

