


New 2.4G RF RGB+W LED FLOOD LIGHT (50W)

with 4-zone remote Beam angle: 25° 60° 120° optional



DIMENSIONS:



FEATURES:

- 1.**Power:** 50W, 20W each color, 30W white EPISTAR
- 2.**Remote range:** 30 meters
- 3.**Input voltage:** AC100-240V Mean Well driver
- 4.**material:** Aluminum,toughened glass
- 5.**LED color:**RGBW
- 6.**Working temp:** -20~60 degrees
- 7.**Life span:** 50,000h
- 8.**package:** 35.5x25.5x5.8cm inner box 8pcs a carton carton:51X36.5X25.5cm
- 9.**Net weight:**1500g
- 10.**Gross weight:** 1800g
- 11.**Compatible with wifi bridge**
- 12.**Warm white 3000~3500lm**


Auto-transfer

How to link:

When Switch on the lights in the zone you want to link, press zone-on button within 3 seconds, the link is done when the lights blink 3 times. The link-signal will be auto-transferred to another.

Notice:

1. In the same zone. Each light only auto-transfers and response to the different signal received last time in the same zone.
2. Auto-transfer can happen among different groups, the lights receive the signal from the lights in the different zones, only transfer the signal, don't response.



How to unlink:

When Switch on the lights in the zone you want to unlink, press zone-on button 5 times within 3 seconds, the unlink is done when the lights blink 6 times. The unlink-signal will be auto-transferred to another.

Auto-sync

Each light can transmit the signal after the specific time and auto-transfer.

Saturation control——White and RGB CO-exist


When you long press the all-off button,the light will enter into this mode.


White and RGB light work together, reaching the highest brightness,power is around 50-55W.

Under this mode, you can choose any color through the color ring,and adjust the brightness of white, through the slider.

Press All-on button for one second to exit from this mode.

Beam angle: 25° 60° 120° optional with different lens. (120° is without lens)






Application:

2.4G RGBW LED Flood lights are widely used in garden, villa, factory, gymnasium, boat yard, billboards, buildings, lawns, landscaping, offices, the site of light project and decorative lighting projects etc.



Package:

Inner box (35.5x25.5x5.8cm)



8pcs a carton

carton:51X36.5X25.5cm

