


2.4G RF RGB LED Controller

with 4-zone Touch Screen remote control



Features:



Soft start, no power peak



Power off memory



Easy Installation



RF 2.4GHz, remote range nearly 30m



Remote control through internet, Compatible with wifi bridge




Vivid colors changing, 9 automatic changing programs



Two years warranty, CE, RoHS

DIMENSIONS:




Specifications:

- **Name:** 2.4G RF RGB LED Strip Controller
- **Input Voltage:** DC12-24V
- **Material :** ABS
- **Max load per channel:** 6A
- **Working temp:** -20~60 degrees
- **Size:** 85*45*22mm
- **Package:** 52×27×95mm/controller 56×26×123mm/remote
- **G.W.:** 0.06kg
- **Remote range:** 30m
- **Programs:** 9 kinds
- **Output Connection:** Common anode


Technical Data:

Remote	Size	120X52X20mm
	Working voltage	3V (AAAX2)
	Radio frequency	2400-2483.5MHz
	Modulation mode	GFSK
	Emission power	6db
	Standby power consumption	5uA
	Material	ABS
	Fabrication processing	Multicolor printing & UV varnish
controller	Size	85×45×23mm
	Working voltage	12V~ 24V
	Control way	R G B four channels
	Max load per channel	6A
	Output Connection	Common anode
	Programs	9 kinds

Connection &How to wire more:



AC 220V



Light Effect:



Package information:



Qty:LED controller 1PCS
Size:52×27×95mm
GW:0.06Kg

